



TECHNICAL-COMMERCIAL PRODUCT SHEET

Description

PULMIC INDUSTRIAL 35 L

Ref. 16863

Definition:

Electric sprayer for the application of industrial products (disinfection, vector control and cleaning) with a quick connection system of nozzles.

Tariff heading: 84244100

EAN: 8435128256053



Product photo



INCLUDES











Product parts

Deposit	Filters	1 in the filler neck, 1 in the handle and 1 absorption in the lower part of the tank
	Color	Black and white
	Material	Polypropylene
	Filling mouth diameter	13 cm
	Ability	35 L
	Carrying handle	Yes
Bomb	Compression and drive system	Electric via diaphragm pump/DC motor with brushes
	Flow	Consult table according to nozzles (page 3)
	Pressure	Consult table according to nozzles (page 3)
Control unit	3 speed system	
Membrane	Santoprene	
Hose	Material	PVC with reinforcing mesh
	Length	6 m
Handle	Material	Polypropylene
	Length	15 cm
Lance	Material	Stainless steel
	Length	42,5 cm
Nozzles	Adjustable industrial nozzle	
	Red industrial nozzle 0°	
	Green industrial nozzle 25°	
Battery/Charger	Battery 2 units	
	Lithium-ion LiCoO ₂ 18V 2600mAh	
	Charger (European connector)	Input: 100/240V, 50/60 Hz, 0.5A Output: 21V DC 1A
	Temperature range	5-40 °C
	Battery weight	0.385 kg
	Autonomy	Consult table according to nozzles (page 3)
Attached documentation	Instruction manual	



Nozzles

		Boquilla Nozzle Buse Bico Ugello Dysza Сопло فوهة	Velocidad Speed Vitesse Velocidade Velocità Prędkość Скорость سرعة	Presión Pressure Pression Pressão Pressione Ciśnienie Давление ضغط		Ángulo Angle Angle Ângulo Angolo Kąt Угол زاوية	Caudal Flow Débit Fluxo Flusso Przepływ Поток تدفق		Capacidad/batería Capacity/battery Capacité/batterie Capacidade/bateria Capacità/batteria pojemność/baterię Емкость/аккумулятор السعة / البطارية		Autonomía total Total autonomy Autonomie totale Autonomia total Autonomia totale Całkowita autonomia Полная автономия الحكم الذاتي الكامل
				bar Бар	psi Пси		L/min л/мин	gpm гал/мин	L л	gal гал	min. Мин.
Ref. 13985  	1	2,5	36	25°	1,95	0,51	351	91	180		
	2	3,5	51	25°	2,20	0,58	248	65	113		
	3	4,5	65	25°	2,60	0,68	234	61	90		
Ref. 13984  	1	4,5	65	0°	1,50	0,39	192	49	128		
	2	6,5	94	0°	1,85	0,48	166	43	90		
	3	7	102	0°	2,00	0,52	166	43	83		
Ref. 13983  	1	2,35	34	max. 70°	2,00	0,52	360	93	180		
	2	3,4	49	max. 70°	2,55	0,67	288	75	113		
	3	3,6	52	max. 70°	2,65	0,70	238	63	90		



Chemical Compatibility



PRINCIPIO ACTIVO ACTIVE PRINCIPLE Matière principale	COMPUESTO ACTIVO ACTIVE COMPOUND Matière active	INDUSTRIAL 15 INDUSTRIAL 35
ÁCIDOS ACIDS Acides	ÁCIDO ACÉTICO / ACETIC ACID / ACIDE ACÉTIQUE (MAX 20%)	×
	ÁCIDO CLORHÍDRICO / HYDROCHLORIC ACID / ACIDE CHLORHYDRIQUE (MAX 30%)	×
	ÁCIDO FLUORHÍDRICO / HYDROFLUORIC ACID / ACIDE FLUORHYDRIQUE (MAX 20%)	×
	ÁCIDO FOSFÓRICO / PHOSPHORIC ACID / ACIDE PHOSPHORIQUE	×
	ÁCIDO NÍTRICO / NITRIC ACID / ACIDE NITRIQUE (MAX 20%)	×
	ÁCIDO SULFÚRICO / SULPHURIC ACID / ACIDE SULFURIQUE (MAX 30%)	×
	BISULFITO SÓDICO / SODIUM BISULPHATE / ACIDE SODIQUE (MAX 20%)	×
	ÁCIDO OXÁLICO / OXALIC ACID / ACIDE OXALIQUE	×
ALCOHOLES ALCOHOLS Alcools	BUTANOL / BUTANOL / BUTANOL	▲
	ETANOL / ETHANOL / ÉTHANOL	▲
	METANOL / METHANOL / MÉTANOL	▲
HIDROCARBUROS ALIFÁTICOS ALIPHATIC HYDROCARBONS Hydrocarbures aliphatiques	DECANO / DECANE / DÉCANE	▲
	HEPTANO / HEPTANE / HEPTANE	▲
	HEXANO / HEXANE / HEXANE	▲
	PENTANO / PENTANE / PENTANE	▲
HIDROCARBUROS AROMÁTICOS AROMATIC HYDROCARBONS Hydrocarbures aromatiques	LIMONENO (DIPTENO) / LIMONENE (DIPTENE) / LIMONÈNE	▲
	NAFTALENO / NAPHTHALENE / NAPHTALÈNE	▲
	TOLUENO / TOLUENE / TOLUÈNE (MAX 40%)	▲
	XILENO / XYLENE / XYLÈNE	▲
ACEITES Y DERIVADOS PETRÓLEO OILS & PETROLEUM PRODUCTS Huiles et Dérivés Pétrole	ACEITE MINERAL-VEGETAL / MINERAL-VEGETAL OIL / HUILE MINÉRALE-VÉGÉTALE	✓
	GASOIL / DIESEL / GASOIL	✓
	GASOLINA / GASOLINE / ESSENCE	✓
	QUEROSENO / KEROSENE / KÉROSÈNE	✓
ALCALINOS Y CETONAS ALKALINES & KETONES Alcalins et Cétones	ACETONA / ACETONE / ACÉTONE	×
	AMONIACO / AMMONIA / AMMONIAQUE	▲
	HIDRÓXIDO DE SODIO / SODIUM HYDROXIDE / HYDROXYDE DE SODIUM	×
	HIDROXIDO DE POTASIO / POTASSIUM HYDROXIDE / HYDROXYDE DE POTASSIUM	×
	HIPLOCLORITO DE SODIO / SODIUM HYPOCHLORITE / HYPOCHLORITE DE SODIUM	▲


RECOMENDADO
 RECOMMENDED/RECOMMANDÉ

LIMITADO
 LIMITED/LIMITÉ

PROHIBIDO
 FORBIDDEN/NON VALABLE



Packaging and dimensions

Gross Unit Weight	9.95kg
Packing unit	1
Unit packaging dimensions	46.5 x 36 x 78.5cm
Units in the secondary box	Not applicable
Secondary box dimensions	Not applicable

Logistics data

Packaging units per m3	7	Units per pallet (American)	15 units
Units per 20" container	210 units	Units per pallet (European)	10 units
40" container units	420 units		
40" HQ container units	490 units		



Commercial video of the product